

PROPOSAL AND CONTRACT DOCUMENTS

FOR THE CONSTRUCTION OF (EXEMPT)

14

Placing a Chip Seal Surface Treatment on various sections of highway in District 6, known as Maintenance Project No. MP-6000-00(015) / 302503, in District 6, State of Mississippi.

Project Completion: October 29, 2004

NOTICE

BIDDERS MUST PURCHASE A BOUND PROPOSAL FROM MDOT CONTRACT ADMINISTRATION DIVISION TO BID ON THIS PROJECT.

Electronic addendum updates will be posted on www.goMDOT.com

SECTION 900

OF THE CURRENT
(2004) STANDARD SPECIFICATIONS
FOR ROAD AND BRIDGE CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION
JACKSON, MISSISSIPPI

BIDDER CHECK LIST (FOR INFORMATION ONLY)

 Subsection 102.06 of the Mississippi Standard Specifications for Road and Bridge Construction.
 If the bid sheets were prepared using MDOT's Electronic Bid System, proposal sheets have been stapled and inserted into the proposal package.
 First sheet of SECTION 905PROPOSAL has been completed.
 Second sheet of SECTION 905PROPOSAL has been completed and signed.
 Addenda, if any, have been acknowledged. Second sheet of Section 905 listing the addendum number has been substituted for the original second sheet of Section 905. Substituted second sheet of Section 905 has been properly completed, <u>signed</u> , and added to the proposal.
 DBE/WBE percentage, when required by contract, has been entered on last sheet of the bid sheets of SECTION 905 - PROPOSAL.
 Form OCR-485, when required by contract, has been completed and signed.
 The last sheet of the bid sheets of SECTION 905PROPOSAL has been signed.
 Combination Bid Proposal of SECTION 905PROPOSAL has been completed for each project which is to be considered in combination (See Subsection 102.11).
 Equal Opportunity Clause Certification, when included in contract, has been completed and <u>signed</u> .
 Subcontract Certificate, when included in contract, has been completed and <u>signed</u> .
 The Certification regarding Non-Collusion, Debarment and Suspension, etc. has been <u>executed in duplicate</u> .
A Certified check, cashier's check or bid bond payable to the State of Mississippi in the principal amount of 5% of the bid has been included. Bid bond has been <u>signed</u> by the <u>bidder</u> and has also been <u>signed</u> or <u>countersigned</u> by a <u>Mississippi Resident Agent for the Surety</u> with Power of Attorney attached or on file with the Department's Contract Administration Engineer.
Non-resident Bidders: ON STATE FUNDED PROJECTS ONLY, a copy of the current laws regarding any preference for local Contractors from State wherein domiciled has been included. See Subsection 103.01, Mississippi Standard Specifications for Road and Bridge Construction, and Section 31-7-47, MCA, 1972 regarding this matter.

Return the proposal and contract documents in its entirety in a sealed envelope. <u>DO NOT</u> remove any part of the contract documents; exception - an addendum requires substitution of second sheet of Section 905. A stripped proposal is considered as an irregular bid and will be rejected.

Failure to complete any or all of the applicable requirements will be cause for the proposal to be considered irregular.

TABLE OF CONTENTS

PROJECT: MP-6000-00(015) / 302503 - District Wide (6)

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1

On-The-Job Training Program - #7

Standard Drawings - # 11 Federal Bridge Formula - # 12

Errata & Modifications to 2004 Standard Specifications - # 18

Petroleum Products Base Price - #41

Contract Time - # 93 Scope of Work - # 94 Project Length - # 95

Seasonal and Weather Limitations - #96

907-107-1: Liability Insurance

907-410-1: Bituminous Surface Treatment Aggregate 906-3: MDOT On-the-Job Training Program

906-4: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 – PROPOSAL,
PROPOSAL SHEET NOS. 2-1 THRU 2-3,
COMBINATION BID PROPOSAL,
STATE BOARD OF CONTRACTORS REQUIREMENTS,
NON-COLLUSION CERTIFICATE,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM,
HAUL PERMIT FOR BRIDGES WITH POSTED WEIGHT LIMITS.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

SECTION 901 - ADVERTISEMENT

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, July 27, 2004; thereafter, bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, July 27, 2004, and shortly thereafter publicly opened for

Placing a Chip Seal Surface Treatment on various sections of highway in District 6, known as Maintenance Project No. MP-6000-00(015) / 302503, in District 6, State of Mississippi.

The attention of bidders is directed to the predetermined minimum wage rate set by the U. S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

The specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be acquired from the MDOT Contract Administration Division. These proposal are available at a cost of Ten Dollars (\$10.00) per proposal. Specimen proposals are also available at the MDOT Contract Administration Division at a cost of Ten Dollars (\$10.00) per proposal, or can be viewed or downloaded at no cost at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN EXECUTIVE DIRECTOR

(SPW/OP)

CODE: (IS)

SECTION 904 - NOTICE TO BIDDERS NO. 1

DATE: 05/03/2004

SUBJECT: Governing Specifications

The current (2004) Edition of the Standard Specifications for Road and Bridge Construction adopted by the Mississippi Transportation Commission is made a part hereof fully and completely as if it were attached hereto, except where superseded by special provisions, or amended by revisions of the Specifications contained herein. Copies of the specification book may be purchased from the MDOT Construction Division.

A reference in any contract document to controlling requirements in another portion of the contract documents shall be understood to apply equally to any revision or amendment thereof included in the contract.

In the event the plans or proposal contain references to the 1990 Edition of the Standard Specifications for Road and Bridge Construction, it is to be understood that such references shall mean the comparable provisions of the 2004 Edition of the Standard Specifications.

SECTION 904 - NOTICE TO BIDDERS NO. 7 CODE: (IS)

DATE: 05/03/2004

SUBJECT: On-The-Job Training Program

Payment for training hours will be handled as outlined in Special Provision 906-4. A pay item for trainees will not be included in individual construction projects. Payment for training individuals will be processed in accordance with the conditions in MDOT's ON-THE-JOB TRAINING PROGRAM (Special Provision 906-4).

On Federal-Aid projects, failure on the part of the Contractor to carryout the terms of the Alternate Training Special Provision (Special Provision 906-4) will be considered grounds to preclude the Contractor from participating in the Alternate On-The-Job Training Program. In the event the Department is required to preclude the Contractor from participating in the program, the Contractor will be required to adhere to the requirements of the Training Special Provision (Special Provision 906-3), for which purpose the special provision is also made a part of this proposal.

SECTION 904 – NOTICE TO BIDDERS NO. 11 CODE: (SP)

DATE: 05/30/2004

SUBJECT: Standard Drawings


Standard Drawings attached hereto shall govern appropriate items of required work.


Larger copies of Standard Drawings may be purchased from:


MDOT Plans Print Shop MDOT Administration Building 401 North West Street, Room 1100 P.O. Box 1850 Jackson, MS 39215-1850 Telephone: (601) 359-7460

Telephone: (601) 359-746 or FAX: (601) 359-7461


or e-mail: plans@mdot.state.ms.us










S









 ∞




9




10






- 1




- 1















STATE PROJECT NO MISS.

STANDARD BARRICADES

- A TYPE I BARRICADE CONSISTS OF ONE (I) HORIZONTAL RAIL SUPPORTED BY A DEMOUNTABLE FRAME OR A LIGHT 'A' FRAME. A TYPE I BARRICADE NORMALLY WOULD BE USED ON CONVENTIONAL ROADS OR UBBAN STREETS AND ARTERIALS.
- A TYPE II BARRICADE CONSISTS OF TWO (2) HORIZONTAL RAILS ON A LIGHT 'A' FRAME, TYPE II BARRICADES
 ARE INTENDED FOR USE ON EXPRESSWAYS AND FREEWAYS AND OTHER HIGH-SPEED ROADWAYS.
- 3. TYPE I AND TYPE II BARRICADES ARE INTENDED FOR USE WHERE THE HAZARD IS RELATIVELY SALL AS, FOR EXAMPLE ON CITY STREETS, OF FOR THE MORE OR LESS CONTINUOUS DELIMITING OF A RESTRICTE ROADMAY, OF FOR TEMPORARY DAYTIME USE.
- A TYPE III BARRICADE CONSISTS OF THREE (3) HORIZONTAL RAILS SUPPORTED BY FIXED POSTS, A RIGID SKID, A HEAVY DEMOUNTABLE FRAME OR A HEAVY, HINGED "A" FRAME.
- TYPE III BARRICADES ARE INTENDED FOR USE ON CONSTRUCTION AND MAINTENANCE PROJECTS AS WING BARRICADES AND AT ROAD CLOSURES, WHERE THEY MUST REMAIN IN PLACE FOR EXTENDED PERIODS.
- THE MARKING FOR BARRICADE RAILS SHALL BE ORANGE AND WHITE (SLOPING DOWNWARD AT AN ANGLE OF 45° IN THE DIRECTION TRAFFIC IS TO PASS).
- DO NOT PLACE SANDBAGS OR OTHER DEVICES TO PROVIDE MASS ON THE BOTTOM RAIL. THAT WILL BLOCK VIEW OR RAIL FACE.
- 8. FOR ADDITIONAL INFORMATION OR DETAILS, SEE MUTCD, LATEST EDITION.




- A CHEVRON SIGN CONSISTS OF A BLACK CHEVRON TYPE MARKING ON AN ORANGE BACKGROUND AND SHALL POINT IN THE DIRECTION OF TRAFFIC FLOW.
- 2. THE CHEVRON SIGN SHALL BE MOUNTED ON FIXED POST OR RIGID SKID.
- CHEVRON SIGNS MAY BE USED TO SUPPLEMENT OTHER STANDARD DEVICES WHERE ONE OF MORE LARCS ARE CLOSED FOR CONSTRUCTION OR MAINTENANCE. THEY SHALL BE PLACED APPROXIMATELY 2"-0" BEINIO THE LARC TRANSITION STRIPE.

BARRICADE CHARACTERISTICS

	I	I	ш
WIDTH OF RAIL * *	8" M[N 12" MAX.	8" MIN 12" MAX.	8" MIN 12" MAX.
LENGTH OF RAIL**	24' M[N.	24° MIN.	48° MIN.
WIDTH OF STRIPE *	6*	6.	6"
HEIGHT	36" MIN.	36° M[N.	60° MIN.
NUMBER OF REFLECTORIZED RAIL FACES	2 (ONE EACH DIRECTION)	4 (TWO EACH DIRECTION)	3 IF FACING TRAFFIC IN ONE DIRECTION 6 IF FACING TRAFFIC IN TWO DIRECTIONS
TYPE OF FRAME	LIGHT	LIGHT 'A' FRAME	POST OR SKID

- * 1. FOR RAILS LESS THAN 36' LONG, 4' WIDE STRIPES MAY BE USED.
- ** 2. BARRICADES INTENDED FOR USE ON EXPRESSWAYS, FREEWAYS AND OTHER HIGH SPEED ROADWAYS, SHALL HAVE A MINIMUM OF 270 In OF REFLECTIVE AREA FACING TRAFFIC.



- TYPE 3 OBJECT MARKERS SHALL BE USED AT ALL EXPOSED BRIDGE ABUTMENTS AND AT OTHER LOCATIONS AS DEEMED NECESSARY BY THE ENGINEER.
- 2. THE OM-3R IS SHOWN. THE OM-3L IS SIMILAR EXCEPT THE STRIPES SLOPE DOWNWARD FROM THE UPPER LEFT SIDE TO THE LOWER RIGHT SIDE AND SHALL BE PLACED ON THE LEFT SIDE OF THE OBJECT.
- THE INSIDE EDGE OF THE MARKER SHALL BE IN LINE WITH THE INNER EDGE OF THE OBSTRUCTION.



VERTICAL PANEL


- VERTICAL PANELS CONSIST OF AT LEAST ONE PANEL 8' TO 12' IN WIDTH AND A MINIMUM OF 24' IN HEIGHT.
- 2. THE DIAGONAL STRIPES SHALL SLOPE DOWNWARD
 IN THE DIRECTION THAT TRAFFIC IS TO PASS THE PANEL.
 THE PANELS SHALL BE MOUNTED WITH THE TOP A
 MINIMUM OF 36' ABOVE THE ROADWAY ON A SINGLE
 LIGHTMASS POST.
- 3. VERTICAL PANELS USED ON EXPRESSWAYS, FREEWAYS AND OTHER HIGH-SPEED ROADWAYS SHALL HAVE A MINIMUM OF 270 In 20F RETROREFLECTIVE AREA FACING TRAFFIC.
- FOR TWO-WAY TRAFFIC OPERATIONS, BACK-TO-BACK PANELS SHALL BE USED.

GENERAL NOTES:

- MARKINGS ON ALL DEVICES SHOWN ON THIS SHEET SHALL BE HIGH INTENSITY REFLECTIVE SHEETING.
- THE TRAFFIC CONTROL PLAN WILL LIST THE VARIOUS TRAFFIC CONTROL DEVICES REQUIRED FOR EACH PROJECT.

WING BARRICADES

- WING BARRICADES ARE TYPE III BARRICADES ERECTED ON THE SHOULDER ON ONE OR BOTH SIDES OF THE PAVEMENT TO GIVE THE SENSATION OF A NARROWING OR RESTRICTED ROADWAY, WING BARRICADES MAY BE USED AS A MOUNTING FOR THE ADVANCE WARRING SIGNS OR FLASHERS.
- WING BARRICADES SHOULD BE USED:
 A. IN ADVANCE OF A CONSTRUCTION PROJECT EVEN WHEN NO PART OF THE ROADWAY IS ACTUALLY CLOSED.
 B. IN ADVANCE OF ALL BRIDGE OR CULVERT WIDENING OPERATIONS.



PLASTIC DRUM STRIPING DETAIL

- PLASTIC DRUMS SHALL BE ON END AND USED AS AN EXPEDIENT METHOD FOR TRAFFIC CHANNELIZATION. THE COLOR AND MARKING OF DRUMS SHALL BE CONSISTENT WITH MARKING STANDARDS FOR BARRICADE. THE PREDOMINANT COLOR ON DRUMS SHALL BE ORANGE WITH FOUR OR REFLECTORIZED, HORIZONTAL, CIRCUMFERENTIAL STRIPES IZ GRANGE & WITHES WIDE.
- 2. DRUMS SHOULD NEVER BE PLACED IN THE ROADWAY WITHOUT WARNING SIGNS.
- 3. WHERE PRACTICAL PLASTIC DRUMS SHALL BE PLACED NO CLOSER THAN 3'-0' FROM THE EDGE OF TRAVELED LANE.



- 1

TRUCK-MOUNTED FLASHING ARROW -PANELS TRUCK-MOUNTED NOTE: USE OF CHANGEABLE MESSAGE SIGN IS OPTIONAL ATTENUATOR (OPTIONAL)


MOBILE OPERATIONS ON MULTILANE ROAD A

MOBILE OPERATIONS ON MULTILANE ROAD

NOTES:

- VEHICLES USED FOR THESE OPERATIONS SHOULD BE MADE HIGHLY VISIBLE WITH APPROPRIATE EQUIPMENT, SUCH AS FLASHING LIGHTS, ROTATING BEACONS, FLAGS, SIGNS, OR ARROW PANELS.
- PROTECTION VEHICLE *I SHOULD BE EQUIPPED WITH AN ARROW PANEL.
 AN APPROPRIATE LANG CLOSURE SIGN SHOULD BE PLACED ON PROTECTION
 VEHICLE *I SO AS NOT TO OBSCURE THE ARROW PANEL.
- PROTECTION VEHICLE *2 SHOULD BE EQUIPPED WITH AN ARROW PANEL AND TRUCK-MOUNTED ATTENUATOR (TMA).
- PROTECTION VEHICLE "I SHOULD TRAVEL AT A VARYING DISTANCE FROM THE WORK OPERATION SO AS TO PROVIDE ADEQUATE SIGHT DISTANCE FOR TRAFFIC APPROACHING FROM THE REAR.
- 5. WHEN ADEQUATE SHOULDER WIDTH IS NOT AVAILABLE, PROTECTION VEHICLE "I SHOULD BE ELIMINATED.
- ON HIGH-SPEED ROADWAYS, A THIRD PROTECTION VEHICLE SHOULD BE USED (i.e., VEHICLE *1 ON THE SHOULDER (IF PRACTICAL), VEHICLE *2 IN THE CLOSED LANE, AND VEHICLE *3 IN THE CLOSED LANE).
- ARROW PANELS SHALL BE AS A MINIMUM TYPE B, 60° X 30° IN ACCORDANCE WITH THE CRITERIA PRESENTED IN THE MUTCO.
- B. WORK SHOULD NORMALLY BE DONE DURING OFF-PEAK HOURS.
- ALL TRAFFIC CONTROL ITEMS SHOWN ON THIS SHEET WILL NOT BE MEASURED FOR SEPARATE PAYMENT. THIS WORK IS TO BE INCLUDED IN THE PRICE BID FOR MAINTENANCE OF TRAFFIC.

MOBILE OPERATIONS ON TWO-LANE ROAD



MOBILE OPERATIONS ON TWO-LANE ROAD

- NOTES:

 I. WHERE PRACTICAL AND WHEN NEEDED, THE WORK AND PROTECTION VEHICLES

 SHOULD PULL OVER PERIODICALLY TO ALLOW TRAFFIC TO PASS. IF THIS CAN

 NOT BE DONE PREQUENTLY, AS AN ALTERNATIVE, A "DO NOT PASS" SIGN MAY BE

 PLACED ON THE REAR OF THE VEHICLE BLOCKING THE LANE.
- 2. THE DISTANCE BETWEEN THE WORK AND PROTECTION VEHICLES MAY VARY ACCORDING TO TERRAIN, PAINT DRYING TIME, AND OTHER FACTORS, PROTECTION VEHICLES ARE USED TO WARN TRAFFIC OF THE OPERATION AREAD, WREEVER ADOLUNT STOPPING SIGHT DISTANCE EXISTS TO THE REAR, THE PROTECTION VEHICLE SHOULD MAINTAIN THE MINIMUM DISTANCE AND PROCEED AT THE SAME SPEED AS THE WORK VEHICLE. THE PROTECTION WENTLES SHOULD SON DOWN IN ADVANCE OF VEHICLES OF HORIZON DOWN IN ADVANCE.
- 3. ADDITIONAL PROTECTION VEHICLES TO WARN AND REDUCE THE SPEED OF ONCOMING OR OPPOSING TRAFFIC MAY BE USED. POLICE PATROL CARS MAY BE USED FOR THIS PURPOSE.
- A TRUCK-MOUNTED ATTENUATOR (TMA) SHOULD BE USED ON THE PROTECTION VEHICLE AND MAY BE USED ON THE WORK VEHICLE.
- 5. THE WORK VEHICLE SHALL BE EQUIPPED WITH BEACONS, AND THE PROTECTION VEHICLES SHALL BE COUIPPED WITH TWO HIGH-INTENSITY FLASHING LIGHTS MOUNTED ON THE REAR, ADJACENT TO THE SION. PROTECTION AND WORK VEHICLES SHOULD DISPLAY FLASHING OR ROTATING BEACONS BOTH FORWARD AND TO THE REAR.
- 6. VEHICLE-MOUNTED SIGNS SHALL BE MOUNTED WITH THE BOTTOM OF THE SIGN LOCATED AT A MINIMUM HEIGHT OF 48" ABOVE THE PAVEMENT. SIGN LEGENDS SHALL BE COVERED OR TURNED FROM VIEW WHEN WORK IS NOT IN PROGRESS.
- ALL TRAFFIC CONTROL ITEMS SHOWN ON THIS SHEET WILL NOT BE MEASURED FOR SEPARATE PAYMENT. HIS WORK IS TO BE INCLUDED IN THE PRICE BID FOR MAINTENANCE OF TRAFFIC.



MULTILANE ROADS AND


TWO-LANE ROADS ISSUE DATE: OCTOBER 1, 1998


NO SEISTIPP WORKING NUMBE TCP-11 CUEET MINNE

STATE PROJECT NO.


MISS.


16





- 1





CODE: (IS)

SECTION 904 - NOTICE TO BIDDERS NO. 12

DATE: 05/03/2004

SUBJECT: Federal Bridge Formula

Bidders are hereby advised that Federal Highway Administration Publication No. FHWA-MC-94-007, **BRIDGE FORMULA WEIGHTS**, dated January 1994, is made a part of this contract when applicable.

Prior to the preconstruction conference, the Contractor shall advise the Engineer, in writing, what materials, if any, will be delivered to the jobsite via Interstate route(s).

Copies of the **BRIDGE FORMULA WEIGHTS** publication may be obtained by contacting:

Federal Highway Administration 400 7th Street, SW Washington, DC 20590 (202) 366-2212

or

http://ops.fhwa.dot.gov/freight/regulate/sw/

CODE: (IS)

SECTION 904 - NOTICE TO BIDDERS NO. 18

DATE: 05/03/2004

SUBJECT: ERRATA AND MODIFICATIONS TO THE 2004 STANDARD SPECIFICATIONS

<u>Page</u>	Subsection	Change
278	404.04	In the second sentence, change the subsection from "401.04" to "403.04".
294	413.02	In the first sentence of the second paragraph, change "707.02.1.3" to "Subsection 707.02.1.3".
340	511.04	In the second sentence of the second paragraph, change "412" to "512".
349	601.03.3	In the first sentence, change "804.03.2" to "804.03.5".
355	603.02	Change the subsection reference for Joint mortar from "707.03" to "714.11".
369	604.04	In the first sentence, change "601.04" to "Subsection 601.04".
427	619.04	Delete the second paragraph.
442	625.04	In the third paragraph, change "626.04" to "Subsection 626.04".
444	626.03.1.2	Delete the third sentence of the first paragraph.
464	631.02	Change the subsection reference for Water from "714.01.0" to "714.01.1".
603	702.11	In the first sentence, change "702.12" to "Subsection 702.12".
612	703.04.2	In the fifth paragraph, delete "Subsection 703.11 and".
618	703.13.1	In the first sentence of the first paragraph, change "703.09" to "703.06".
618	703.13.2	In the first sentence, change "703.09" to "703.06".

671	712.06.2.2	In the first sentence, change "712.05.1" to "Subsection 712.05.1".
689	714.11.2	In the first sentence, change "412" to "512".
741	720.05.2.2	In the last sentence of this subsection, change "720.05.2.1" to "Subsection 720.05.2.1".
827	803.03.2.3.7.5.2	In the first sentence of the second paragraph, change "803.03.5.4" to "803.03.2.3.4".
833	803.03.2.6	In the first sentence, change "803.03.7" to "803.03.2.5".
879	804.03.19.3.2	In the last sentence of the last paragraph, change "804.03.19.3.1" to "Subsection 804.03.19.3.1".
962	814.02.3	In the first sentence, change "710.03" to "Subsection 710.03".
976	820.03.2.1	In the first sentence, change "803.02.6" to "803.03.1.7".
976	820.03.2.2	In the first sentence, change "803.03.9.6" to "803.03.1.9.2".
985	Index	Change the subsection reference for Petroleum Asphalt Cement from "702.5" to "702.05".
985	Index	Change the subsection reference for the Definition of Asphaltic Cement or Petroleum Asphalt from "700.2" to "700.02".
985	Index	Change the subsection reference for Automatic Batchers from "501.03.2.4" to "804.02.10.4".
986	Index	Delete "501.03.2" as a subsection reference for Batching Plant & Equipment.
988	Index	Change the subsection reference for the Central Mixed Concrete from "501.03.3.2" to "804.02.11".
988	Index	Change the subsection reference for the Concrete Batching Plant & Equipment from "501.03.2" to "804.02.11".
999	Index	Delete "501.03.3.3" as a subsection reference for Truck Mixers.
1001	Index	Change the subsection reference for Edge Drain Pipes from "605.3.5" to "605.03.5".

1002	Index	Change the subsection reference for Metal Posts from "713.05.2" to "712.05.2".
1007	Index	Change the subsection reference for Coarse Aggregate of Cement Concrete Table from "703.3" to "703.03".
1007	Index	Change the subsection reference for Composite Gradation for Mechanically Stabilized Courses Table from "703.8" to "703.08".
1009	Index	Delete "501.03.3.3" as a subsection reference for Truck Mixers and Truck Agitators.

SECTION 904 - NOTICE TO BIDDERS NO. 41 CODE: (SP)

DATE: 06/10/2004

SUBJECT: Petroleum Products Base Prices For Contracts Let In July, 2004

REFERENCE: Subsection 109.07

The following base prices are to be used for adjustment in compensation due to changes in costs of petroleum products:

FUELS

	Per Gallon	Per Liter
Gasoline	\$1.6740	\$0.4423
Diesel	\$1.4690	\$0.3881

MATERIAL OF CONSTRUCTION

Asphalt Cements	Per Gallon	Per Ton	Per Liter	Per Metric Ton
Viscosity Grade AC-5 Viscosity Grade AC-10 Viscosity Grade AC-20 Viscosity Grade AC-30 Grade PG-58-28 Grade PG 64-22 Grade PG 67-22 Grade PG 76-22 Grade PG 82-22	\$0.8072 \$0.7912 \$0.7762 \$0.7762 \$0.8009 \$0.7708 \$0.7671 \$1.1163 \$1.2915	\$191.50 \$187.71 \$184.14 \$184.14 \$190.00 \$182.86 \$182.00 \$264.83 \$306.40	\$0.2132 \$0.2090 \$0.2051 \$0.2051 \$0.2116 \$0.2036 \$0.2026 \$0.2949 \$0.3412	\$211.09 \$206.91 \$202.98 \$202.98 \$209.44 \$201.57 \$200.62 \$291.92 \$337.74
Emulsified Asphalts				
Grade EA-4 (SS-1) Grade RS-2C (CRS-2) Grade CRS-2P	\$0.7300 \$0.7466 \$0.8651		\$0.1928 \$0.1972 \$0.2285	
<u>Primes</u>				
Grades EA-1 and MC-70	\$0.9550		\$0.2523	

SECTION 904 - NOTICE TO BIDDERS NO. 93 CODE: (SP)

DATE: 06/10/2004

SUBJECT: Contract Time

PROJECT: MP-6000-00(015) / 302503 - District Wide (6)

The calendar date for completion of work to be performed by the Contractor for this project shall be <u>October 29, 2004</u> which date or extended date as provided in Subsection 108.06 shall be the end of contract time. The Notice to Proceed will not be issued by separate issuance, its issuance and date shall be simultaneous with the execution of the Contract, and the date of Beginning of Contract Time will be <u>August 10, 2004</u>.

A progress schedule as referenced to in Subsection 108.03 will not be required for this contract.

SECTION 904 – NOTICE TO BIDDERS NO. 94

DATE: 06/10/2004

SUBJECT: SCOPE OF WORK

PROJECT: MP-6000-00(015) / 302503 - District Wide (6)

The contract documents do not include an official set of construction plans but may, by reference; include some Standard Drawings when so specified in a Notice to Bidders entitled, "Standard Drawings." All other references to plans in the contract documents and Standard Specifications for Road and Bridge Construction are to be disregarded.

Work on the project shall consist of the following:

- 1. Brooming, or other approved method of cleaning. The existing asphalt roadway prior to placing seal material (CRS-2P).
- 2. Placement of seal material (CRS-2P) at a rate of between 0.39 to 0.44 gallons per square yard.
- 3. Placement of MDOT provided stockpile seal aggregate at a rate of between 0.25 to 0.31 cubic feet per square yard. This includes the loading, transporting, and placement of the seal aggregate from the stockpile locations on the route.
- 4. Provide Traffic Control for the field application of the seal aggregate in accordance with the Traffic Control Plan. Lane closures to be limited to a maximum of 3000 feet. Signing for lane closures, in accordance with the Standard Drawings, shall be the responsibility of the Contractor.
- 5. Advanced construction signs, NO PASSING, DO NOT PASS, and PASS WITH CARE signs will be installed and maintained by MDOT.
- 6. Placement of Chip Seal Reflective Markers at a spacing of 40 feet along the centerline in curves and 80 feet along the centerline in tangents of the seal route.
- 7. Final brooming of excess seal aggregate material from the previous day's seal operation shall begin immediately the next morning.





Chip Seal Contract District VI

COUNTY	ROUTE (ADT)	NUMBER (S)	LOCATION	APPROX. LENGTH	DESCRIPTION OF WORK
Clarke	SR 514	12-210	From US 45 To SR 145	1.70 mi 22' wide 21,942 sy.	Route to be sealed using size 7 Rock already stocked piled on the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Forrest	SR 13	18-100	From PearlRiver Co. Line to US 49	10.50 mi 22' wide 135,520 sy	Route to be sealed using size 7 Rock already stocked piled on the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Greene	SR 63	23-180	From Avery to SandHill	5.00 mi 22' wide 64,533 sy	Route to be sealed using size 7 Rock already stocked piled approximately 2 miles east of the E.O.P. on SR 42 1 miles east of SR 63. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Greene	SR 594	23-100	From SR 63 to Alabama line	3.600 mi 22' wide 46,464 sy	Route to be sealed using size 7 Rock already stocked piled approximately 6 miles north of SR 594 at the intersection of SR 63 & SR 57 just south of Leakesville. Using CSR2P and Chip Seal markers to be placed on 40' centers.
George	SR 613	20-010	From Agricola to the Jackson Co. Line.	5.500 mi 22' wide 70,987 sy	Route to be sealed using size 7 Rock already stocked piled on the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.


Jasper	SR 533	31-040	From the Jones Co. Line to the Jct. of SR 15.	4.00 mi 22' wide 51,627 sy	Route to be sealed using size 7 Rock already stocked piled 1 mile north of the E.O.P. at the Post Office in Stringer. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Jasper	SR 503	31-090	From SR 528 to SR 18 Excluding County Maintained section	13.0 mi 22' wide 167,787 sy	Route to be sealed using size 7 Rock already stocked piled on both ends of the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Jones	SR 29	34-130	From Perry Co. Line north 6.8 miles.	6.800 mi 22' wide 87,765 sy	Route to be sealed using size 7 Rock already stocked piled on the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Jones ယ	SR 590	34-100	From Covington Co. Line east 5.5 miles.	5.500 mi 22' wide 70,987 sy	Route to be sealed using size 7 Rock already stocked piled on the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Lamar	SR 13	37-030	From Lumberton to the Marion Co. Line.	14.00 mi 22' wide 180,693 sy	Route to be sealed using size 7 Rock already stocked piled on the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.
PearlRiver	SR 13	55-110	From Lamar Co. Line to the Forrest Co. Line.	5.3 mi 20' wide 62,187 sy	Route to be sealed using size 7 Rock already stocked piled on the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.
PearlRiver	SR 53	55-100	From the Hancock Co. Line to Savannah	5.4 mi 22' wide 69,696 sy	Route to be sealed using size 7 Rock already stocked piled at the intersection of SR 53 & SR 603 approximately 2 miles south of the B.O.P Using CSR2P and Chip Seal markers to be placed on 40' centers.


Perry	SR 29	56-040	From Stone Co. Line north to New Augusta in Various Locations.	16.6 mi 22'& Var. 1,928,256 sy	Route to be sealed using size 7 Rock already stocked piled on the Route. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Perry	SR 29	56-050	From Runnelstown to the Jones Co. Line.	4.90 mi 22' wide 63,243 sy	Route to be sealed using size 7 Rock already stocked piled approximately 1 mile west of the B.O.P. at the intersection of SR 42 and Pumping Station Rd. Using CSR2P and Chip Seal markers to be placed on 40' centers.
Wayne	SR 63	77-200	From Clara to the Greene Co. Line.	13.4 mi 22' wide 172,949 sy	Route to be sealed using size 7 Rock already stocked piled approximately 2 miles east of the E.O.P. on SR 42 1 miles east of SR 63. Using CSR2P and Chip Seal markers to be placed on 40' centers.







* ROUTES TO BE SEALED









* ROUTES TO BE SEALED









PEARL RIVEROUNTY (55)

* ROUTES TO BE SEALED





SECTION 904 - NOTICE TO BIDDERS NO.95 CODE: (SP)

DATE: 06/10/2004

SUBJECT: PROJECT LENGTH

PROJECT: MP-6000-00(015) / 302503 - DISTRICT WIDE (6)

Bidder are advised that the length of each section of roadway was estimated based on the quantity of aggregate stockpiled on the routes. If the aggregate runs out the Project Engineer can shorten the length of that section.

SECTION 904 - NOTICE TO BIDDERS NO.96 CODE: (SP)

DATE: 06/10/2004

SUBJECT: SEASONAL AND WEATHER LIMITATIONS

PROJECT: MP-6000-00(015) / 302503 - DISTRICT WIDE (6)

The Bidder's Attention is hereby call to Subsection 410.03.2, Seasonal and Weather Limitations, of the 2004 Edition of the Mississippi Standard Specification for Road and Bridge Construction.

Under no circumstance will bituminous material for surface treatment be permitted between November 1 and March 1 on this project.

CODE: (IS)

SPECIAL PROVISION NO. 907-107-1

DATE: 05/03/2004

SUBJECT: Liability Insurance

Section 107, Legal Relations and Responsibility to Public, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

<u>907-107.14.2--Liability Insurance</u>. Delete in toto Subsection 107.14.2 beginning on page 60 and substitute:

907-107.14.2.1--General. The Contractor shall carry Contractor's liability, including subcontractors and contractual, with limits not less than: \$300,000 each occurrence; \$1,000,000 aggregate; automobile liability - \$500,000 combined single limit - each accident; Workers' Compensation and Employers' Liability - Statutory & \$100,000 each accident; \$100,000 each employee; \$500,000 policy limit. Each policy shall be signed or countersigned by a Mississippi Resident Agent of the insurance company.

The Contractor shall have certificates furnished to the Department from the insurance companies providing the required coverage. The certificates shall be on the form furnished by the Department and will show the types and limits of coverage.

<u>907-107.14.2.2--Railroad Protective.</u> The following provisions are applicable to all work performed under a contract on, over or under the rights-of-way of each railroad shown on the plans.

The Contractor shall assume all liability for any and all damages to work, employees, servants, equipment and materials caused by railroad traffic.

Prior to starting any work on railroad property, the Contractor shall furnish satisfactory evidence to the Department that insurance of the forms and amounts set out herein in paragraphs (a) and (b) has been obtained. Also, the Contractor shall furnish similar evidence to the Railroad Company that insurance has been obtained in accordance with the Standard Provisions for General Liability Policies and the Railroad Protective Liability Form as published in the Code of Federal Regulations, 23 CFR 646, Subpart A. Evidence to the Railroad Company shall be in the form of a Certificate of Insurance for coverages required in paragraph (b), and the original policy of the Railroad Protective Liability Insurance for coverage required in paragraph (a).

All insurance herein specified shall be carried until the contract is satisfactorily complete as evidenced by a release of maintenance from the Department.

The Railroad Company shall be given at least 30 days notice prior to cancellation of the Railroad Protective Liability Insurance policy.

For work within the limits set out in Subsection 107.18 and this subsection, the Contractor shall provide insurance for bodily injury liability, property damage liability and physical damage to property with coverages and limits no less than shown in paragraphs (a) and (b). Bodily injury shall mean bodily injury, sickness, or disease, including death at anytime resulting therefrom. Property damage shall mean damages because of physical injury to or destruction of property, including loss of use of any property due to such injury or destruction. Physical damage shall mean direct and accidental loss of or damage to rolling stock and their contents, mechanical construction equipment or motive power equipment.

(a) Railroad Protective Liability Insurance shall be purchased on behalf of the Railroad Company with limits of \$2,000,000 each occurrence; \$6,000,000 aggregate applying separately to each annual period for lines without passenger trains. If the line carries passenger train(s), railroad protective liability insurance shall be purchased on behalf of the Railroad Company with limits of \$5,000,000 each occurrence; \$10,000,000 aggregate applying separately to each annual period.

Coverage shall be limited to damage suffered by the railroad on account of occurrences arising out of the work of the Contractor on or about the railroad right-of-way, independent of the railroad's general supervision or control, except as noted in paragraph 4 below.

Coverage shall include:

- (1) death of or bodily injury to passengers of the railroad and employees of the railroad not covered by State workmen's compensation laws,
- (2) personal property owned by or in the care, custody or control of the railroads,
- (3) the Contractor, or any of the Contractor's agents or employees who suffer bodily injury or death as a result of acts of the railroad or its agents, regardless of the negligence of the railroads, and
- (4) negligence of only the following classes of railroad employees:
 - (i) any supervisory employee of the railroad at the job site
 - (ii) any employee of the railroad while operating, attached to, or engaged on, work trains or other railroad equipment at the job site which are assigned exclusively to the Contractor, or
 - (iii) any employee of the railroad not within (i) or (ii) above who is specifically loaned or assigned to the work of the Contractor for prevention of accidents or protection or property, the cost of whose services is borne specifically by the Contractor or Governmental authority.

(b) **Regular Contractor's Liability**, including subcontractors, XCU and railroad contractual with limits of \$1,000,000 each occurrence; \$2,000,000 aggregate. **Automobile** with limits of \$1,000,000 combined single limit any one accident; **Workers' Compensation and Employer's Liability** - statutory and \$100,000 each accident; \$100,000 each employee; \$500,000 policy limit. **Excess/Umbrella Liability** \$5,000,000 each occurrence; \$5,000,000 aggregate. All coverage to be issued in the name of the Contractor shall be so written as to furnish protection to the Contractor respecting the Contractor's operations in performing work covered by the contract. Coverage shall include protection from damages arising out of bodily injury or death and damage or destruction of property which may be suffered by persons other than the Contractor's own employees.

In addition, the Contractor shall provide for and on behalf of each subcontractor by means of a separate and individual liability and property damage policy to cover like liability imposed upon the subcontractor as a result of the subcontractor's operations in the same amounts as contained above; or, in the alternative each subcontractor shall provide same.

CODE: (SP)

SPECIAL PROVISION NO. 907-410-1

DATE: 05/13/2004

SUBJECT: Bituminous Surface Treatment Aggregate

PROJECT: MP-6000-00(015) / 302503 - District Wide (6)

Section 410, Bituminous Surface Treatment, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

Delete in toto Subsection 410.02.2 on page 286 and substitute the following:

<u>907-410.02.2--Cover Material.</u> The cover aggregate for this project will be furnished by MDOT. The Contractor will NOT be required to furnish the cover aggregate. The Contractor will be required to load, transport and spread the material.

Sites for the stockpile of material will be located within the limits of the route to be sealed. Contractors should visit the sites and be familiar with the location of the stockpiles and required haul distances, which should be include in their bid.

At the end of Subsection 410.05 on page 292, delete the last pay item number, description, and unit, and substitute the following:

907-410-C: Seal Aggregate Cover Material, State Furnished - per cubic yard

SPECIAL PROVISION NO. 906-3

Training Special Provisions

This Training Special Provision supersedes subparagraph 7b of the Special Provision entitled "Specific Equal Employment Opportunity Responsibilities," (Attachment 1), and is in implementation of 23 U.S.C. 140(a).

As part of the Contractor's equal employment opportunity affirmative action program training shall be provided as follows:

The Contractor shall provide on-the-job training aimed at developing full journeymen in the type of trade or job classification involved.

The number of trainees to be trained under this special provision will be as indicated in the bid schedule of the contract.

In the event that a Contractor subcontracts a portion of the contract work, he shall determine how many, if any, of the trainees are to be trained by the subcontractor, provided, however, that the Contractor shall retain the primary responsibility for meeting the training requirements imposed by this special provision. The Contractor shall also insure that this training special provision is made applicable to such subcontract. Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training.

The number of trainees shall be distributed among the work classifications on the basis of the Contractor's needs and the availability of journeymen in the various classifications within a reasonable area of recruitment. Prior to commencing construction, the Contractor shall submit to the State highway agency for approval the number of trainees to be trained in each selected classification and training program to be used. Furthermore, the Contractor shall specify the starting time for training in each of the classifications. The Contractor will be credited for each trainee employed by him on the contract work who is currently enrolled or becomes enrolled in an approved program and will be reimbursed for such trainees as provided hereinafter.

Training and upgrading of minorities and women toward journeymen status is a primary objective of this Training Special Provision. Accordingly, the Contractor shall make every effort to enroll minority trainees and women (e.g., by conducting systematic and direct recruitment through public and private sources likely to yield minority and women trainees) to the extent that such persons are available within a reasonable area of recruitment. The Contractor will be responsible for demonstrating the steps that he has taken in pursuance thereof, prior to a determination as to whether the Contractor is in compliance with this Training Special Provision. This training commitment is not intended, and shall not be used, to discriminate against any applicant for training, whether a member of a minority group or not.

No employee shall be employed as a trainee in any classification in which he has successfully completed a training course leading to journeyman status or in which he has been employed as a

Page 2 of 3

S.P. No. 906-3 -- Cont'd.

journeyman. The Contractor should satisfy this requirement by including appropriate questions in the employee application or by other suitable means. Regardless of the method used the Contractor's records should document the findings in each case.

The minimum length and type of training for each classification will be as established in the training program selected by the Contractor and approved by the State highway agency and the Federal Highway Administration. The State highway agency and the Federal Highway Administration shall approve a program if it is reasonably calculated to meet the equal employment opportunity obligations of the Contractor and to qualify the average trainee for journeyman status in the classification concerned by the end of the training period. Furthermore, apprenticeship programs registered with the U.S. Department of Labor, Bureau of Apprenticeship and Training, or with a State apprenticeship agency recognized by the Bureau and training programs approved but not necessarily sponsored by the U.S. Department of Labor, Manpower Administration, Bureau of Apprenticeship and Training shall also be considered acceptable provided it is being administered in a manner consistent with the equal employment obligations of Federal-aid highway construction contracts. Approval or acceptance of a training program shall be obtained from the State prior to commencing work on the classification covered by the program. It is the intention of these provisions that training is to be provided in the construction crafts rather than clerk-typists or secretarial-type positions. Training is permissible in lower level management positions such as office engineers, estimators, timekeepers, etc., where the training is oriented toward construction applications. Training in the laborer classification may be permitted provided that significant and meaningful training is provided and approved by the division office. Some offsite training is permissible as long as the training is an integral part of an approved training program and does not comprise a significant part of the overall training.

Except as otherwise noted below, the Contractor will be reimbursed 80 cents per hour of training given an employee on this contract in accordance with an approved training program. As approved by the engineer, reimbursement will be made for training persons in excess of the number specified herein. This reimbursement will be made even though the Contractor receives additional training program funds from other sources, provided such other does not specifically prohibit the Contractor from receiving other reimbursement. Reimbursement for offsite training indicated above may only be made to the Contractor where he does one or more of the following and the trainees are concurrently employed on a Federal-aid project; contributes to the cost of the training, provides the instruction to the trainee or pays the trainee's wages during the offsite training period.

No payment shall be made to the Contractor if either the failure to provide the required training, or the failure to hire the trainee as a journeyman, is caused by the Contractor and evidences a lack of good faith on the part of the Contractor in meeting the requirements of this Training Special Provision. It is normally expected that a trainee will begin his training on the project as soon as feasible after start of work utilizing the skill involved and remain on the project as long as training opportunities exist in his work classification or until he has completed his training program. It is not required that all trainees be on board for the entire length of the contract. A

Page 3 of 3

S.P. No. 906-3 -- Cont'd.

Contractor will have fulfilled his responsibilities under this Training Special Provision if he has provided acceptable training to the number of trainees specified. The number trained shall be determined on the basis of the total number enrolled on the contract for a significant period.

Trainees will be paid at least 60 percent of the appropriate minimum journeyman's rate specified in the contract for the first half of the training period, 75 percent for the third quarter of the training period, and 90 percent for the last quarter of the training period, unless apprentices or trainees in an approved existing program are enrolled as trainees on this project. In that case, the appropriate rates approved by the Departments of Labor or Transportation in connection with the existing program shall apply to all trainees being trained for the same classification who are covered by this Training Special Provision.

The Contractor shall furnish the trainee a copy of the program he will follow in providing the training. The Contractor shall provide each trainee with a certification showing the type and length of training satisfactorily completed.

The Contractor will provide for the maintenance of records and furnish periodic reports documenting his performance under this Training Special Provision.

SPECIAL PROVISION NO. 906-4

2000 MISSISSIPPI DEPARTMENT OF TRANSPORTATION ON-THE-JOB TRAINING PROGRAM

ALTERNATE TRAINING SPECIAL PROVISION

PURPOSE

The purpose of the On-The-Job Training (OJT) Program is to provide training for minority, female and economically disadvantaged individuals in order that they may develop marketable skills and gain journey status in the skilled craft classifications in which they are being trained.

INTRODUCTION

The Year 2000 OJT Program has been developed through the partnering efforts of the Road Builders of Mississippi, the Federal Highway Administration (FHWA) and the Mississippi Department of Transportation (MDOT).

The OJT Program has been designed for use by participating contractors and subcontractors in meeting their training needs. The objective of the OJT Program is to develop skilled workers in the skilled craft trade areas of highway construction who are sufficiently trained to be productive employees in the highway construction industry work force.

The success of the OJT Program will require that contractors and subcontractors follow uniform and basic procedures in training in keeping records of trainees' progress toward journey status, and in reporting trainees' successful completion or termination from the program.

FUNDING

MDOT will establish an annual OJT Fund in which, contractors and subcontractors may bill the Department directly for hours worked by trainees. The funding source of this money will be state and federal funds for MDOT's OJT Program, with a cap of \$50,000.00.

PROCEDURE

Trainee positions will be selected by prime and sub contractors and will not be project specific. Provided below are some of the factors that will be used to establish the number of trainee positions each contracting year, they are:

- number of contracts let during a contracting year
- dollar volume
- type of project
- location
- available trainees
- training program(s) submitted by contractor

Each contractor will submit a yearly certification with regard to their participation in the OJT Program. This certification will also identify the number of trainees each prime or sub contractor intends to train on either federal or state funded highway projects.

DISBURSEMENT OF FUNDS

Contractors will be paid \$3.00 rate for each hour of training performed by <u>all</u> trainees in an approved training program. Program reimbursements will be made directly to the prime or sub contractor. Request for payment will be submitted to the Contract Administration Office for approval.

Contractors must complete the form providing the following information to be reimbursed. Contractor's Name Mailing Address Trainee Name Social Security Number Type of Program ____ Total Number of Training Hours Required _____ Training Hours Completed for Reimbursement _____ Quarterly _____ Annual ____ Type of Statement: Monthly _____ Work Period or Project Number Total Hours Cumulative Number of Time Frame Worked By Hours in Hours to be Project Program paid on this Voucher I hereby certify that this information is true... (Must have customary certification of information). Signed by: ______ Date: _____

TRAINING PROGRAM APPROVAL

- A. To use the OJT Program on highway construction projects, the contractor will notify the Department Contract Administration Office using the Request for Onthe-Job Training Program Approval. The notification must include the following information:
 - Trainee Starting Date
 - Project number (s) trainee starting on
 - Training program (classification) to be used; and
 - Anticipated date of trainee employment
 - Number of classroom training hours by subject

- B. If a contractor chooses to use a training program different from those listed in the OJT Program, or desires to train in a different classification, the training program must be submitted in its entirety for approval by the Department and FHWA. The training proposal must include the following:
 - 1. The primary objective of the program: To provide training for minority, female and economically disadvantaged individuals for development to full journey status in the work classifications in which they are being trained.
 - 2. The minimum number of hours and type of training the trainee will receive as it relates to each specific task required to achieve journey status.
 - 3. Minimum wage.
 - 4. Trainee certification of completion.
 - 5. Records and reports submitted to the Contract Administration Office on a quarterly basis.

DEPARTMENT RESPONSIBILITY

- 1. Department project staff will monitor trainees on the project. They will monitor payrolls for payment of correct wage rates and fringe benefits. The Contract Administration Office will maintain a master list by contractor name, project number, trainee name and trainee social security number to aid project staff in monitoring trainees who work on multiple projects.
- 2. The Contract Administration Office may elect to interview trainees periodically during the training period to assess their performance and training program. To facilitate the interviews, the Contract Administration Office will contact contractors for the location of the trainees.

CONTRACTOR RESPONSIBILITY

- 1. Trainees must be identified on payrolls (i.e. dragline trainee).
- 2. The contractor will submit a quarterly report of training hours completed by trainees to the Contract Administration Office by the tenth working day of the first month of the new quarter using the Federal-Aid Highway Construction Contractors Monthly Training Report form (CAD-322). The trainee must also be provided a copy of the report.
- 3. When any trainee completes a program, or is terminated for a reason or reasons other than successful completion, the contractor must include the date of completion or an explanation for the termination and date of termination on the quarterly training report.
- 4. The contractor will assign each trainee to a particular person--either a supervisor or a journeyman/woman who is proficient in the craft the trainee is being trained in, to ensure that timely instructional experience is received by the trainee. This person, cooperating with the appropriate company personnel, will see that proper

- records and the total intended training hours are completed during the allocated number of hours set up in the classification criteria.
- 5. The contractor has the prerogative of terminating the training period of the trainee and advancing the trainee to journey status. Approval requests must be submitted to the Contract Administration Office with an explanation (*refer to 2 above*).
- 6. Upon notification from the contractor, the Department will issue a certificate of completion to the trainee.
- 7. Trainees may be transferred to state-aid highway construction projects in order to complete the training program. If transfers are made the Contract Administration Office must be notified on the Quarterly Reporting Form. All of the training hours completed by trainees will count toward overall program completion.
- 8. Program reimbursements will be made directly to the prime or sub contractor.

CLASSROOM TRAINING

- 1. Classroom training programs must be pre-approved by the Department, if the contractor wishes to count the hours toward the trainee's training program.
- 2. Contractors will be reimbursed for classroom training hours after the trainee has completed <u>20</u> hours of work on a highway construction project.
- 3. Reimbursement for classroom training will be limited to <u>40</u> hours per trainee per construction season.
- <u>NOTE:</u> All proposed classroom training must be submitted as part of the trainee's OJT training program.

WAGE RATE

- 1. The wage rate for all trainees is \$5.15, during their OJT training program. Trainees shall be paid full fringe benefit amounts, where applicable. At the completion of the training program, the trainee shall receive the wages of a skilled journey.
- 2. For the purpose of this training program, a quarter does <u>not</u> represent three months. The first two quarters of a 500-hour training program would end after 250 hours. On a 750-hour training program, the first two quarters would end after 375 hours, the third quarter after 560 or an additional 186 hours or work and the fourth after 750 hours.

JOURNEY WORKER RATIO

The ratio of trainee to journey will be less than 1:4 and not more than 1:10.

RECRUITMENT AND SELECTION PROCEDURES

A. Prerequisites for Trainees

To be qualified for enrollment in the OJT Program, trainees must possess basic physical fitness for the work to be performed, dependability, willingness to learn and ability to follow instructions.

B. Licenses

Truck driver trainees must possess appropriate driver permits or licenses for the operation of Class A, B and C trucks. However, when an instructional permit is used in lieu of a license, the trainee must be accompanied by an operator who:

- 1. Holds a license corresponding to the vehicle being operated;
- 2. Has had at least one year of driving experience; and
- 3. Is occupying the seat next to the driver.

C. Recruitment

- 1. Notices and posters setting forth the contractor's Equal Employment Opportunity Policy and availability of training programs will be placed in areas readily accessible to employees, applicants for employment and potential employees.
- 2. The contractor must target minority, female or economically disadvantaged trainees.
- 3. The contractor will conduct systematic and direct recruitment through public and private employee referral sources. Contractors must submit the trainee's name and completed application form to the Contact Administration Office for review and approval. Approval must be obtained before the trainee can begin work under the training program.
- 4. Present employees will be screened for upgrading.

D. Selection

- 1. The selection and employment of a person by participating contractor shall qualify the person for the OJT Program.
- 2. Selection will be made without regard to race, color, religion, sex, age or national origin and shall be completely nondiscriminatory.
- 3. Employment of trainees will be in accordance with the work force requirements of the contractor. Each contractor will hire and train the trainees for uses in their own organization.
- 4. Written certification of individuals under the category of economically disadvantaged can be provided to the contractor at the time of the interview. This certification must then be provided to the Contract Administration Office with the other required information as part of the approval process for trainees.

• <u>NOTE:</u> The OJT Program is to provide training for minority, female and economically disadvantaged individuals in order that they may develop marketable skills and gain journey status in the skilled craft classifications in which they are being trained. However, this program does not exclude trainees that are not members of the above groups.

SECTION 905 - PROPOSAL

Data

	Date	
Mississippi Transportation Commission Jackson, Mississippi		
Sirs: The following proposal is made on behalf of		
of		

for constructing the following designated project(s) within the time(s) hereinafter specified.

The plans are composed of drawings and blue prints on file in the offices of the Mississippi Department of Transportation, Jackson, Mississippi.

The Specifications are the current Standard Specifications and Supplemental Specifications of the Mississippi Department of Transportation approved by the Federal Highway Administration, except where superseded or amended by the plans, Special Provisions and Notice(s) to Bidders attached hereto and made a part thereof.

I (We) certify that I (we) possess a copy of said Standard and Supplemental Specifications.

Evidence of my (our) authority to submit the Proposal is hereby furnished. The proposal is made without collusion on the part of any person, firm or corporation. I (We) certify that I (we) have carefully examined the Plans, the Specifications, including the Special Provisions and Notice(s) to Bidders, herein, and have personally examined the site of the work. On the basis of the Specifications, Special Provisions, Notice(s) to Bidders, and Plans, I (we) propose to furnish all necessary machinery, tools, apparatus and other means of construction and do all the work and furnish all the materials in the manner specified. I (We) understand that the quantities mentioned herein are approximate only and are subject to either increase or decrease, and hereby propose to perform any increased or decreased quantities of work at the unit prices bid, in accordance with the above.

Attached hereto is a certified check, cashier's check or Proposal Guaranty Bond in the amount as required in the Advertisement (or, by law).

INSTRUCTION TO BIDDERS: Alternate and Optional Items on Bid Schedule.

- 1. Two or more items entered opposite a single unit quantity WITHOUT DEFINITE DESIGNATION AS "ALTERNATE ITEMS" are considered as "OPTIONAL ITEMS". Bidders may or may not indicate on bids the Optional Item proposed to be furnished or performed WITHOUT PREJUDICE IN REGARD TO IRREGULARITY OF BIDS.
- 2. Items classified on the bid schedule as "ALTERNATE ITEMS" and/or "ALTERNATE TYPES OF CONSTRUCTION" must be preselected and indicated on bids. However, "Alternate Types of Construction" may include Optional Items to be treated as set out in Paragraph 1, above.
- 3. Optional items not preselected and indicated on the bid schedule MUST be designated in accordance with Subsection 102.06 prior to or at the time of execution of the contract.
- 4. Optional and Alternate items designated must be used throughout the project.

I (We) further propose to perform all "force account or extra work" that may be required of me (us) on the basis provided in the Specifications and to give such work my (our) personal attention in order to see that it is economically performed.

SECTION 905 - PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

d has added to and made a part of	of the proposal and contract documents
ADDENDUM NO. ADDENDUM NO.	DATEDDATED
`	agree with total addenda d prior to opening of bids)
Respectfully submitted,	Contractor
	and the names,
Addre	ess
Addre	ess
1	ADDENDUM NO. ADDENDUM NO. ADDENDUM NO. TOTAL ADDENDA: (Must issue) Respectfully submitted, BY TITLE ADDRESS the Laws of the State of es are as follows: Address

Address

The following is my (our) itemized proposal.

Treasurer

Revised 05/17/2004

SECTION 905

PROPOSAL (Sheet No. 2- 1)

PLACING A CHIP SEAL SURFACE TREATMENT ON VARIOUS SECTIONS OF HIGHWAY IN DISTRICT 6, KNOWN AS MAINTENANCE PROJECT NO. MP-6000-00(015) / 302503, IN DISTRICT 6, STATE OF MISSISSIPPI.

I (We) agree to complete the entire project within the specified contract time.

*** SPECIAL NOTICE TO BIDDERS ***

BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATE LOCATED AT THE END OF THE BID SHEETS IS SIGNED BID SCHEDULE

REF.	PAY	ADJ.	APPROX.			UNIT PR	ICE	ITEM TOT	'AL
NO.	ITEM NO.	CODE	QUANTITY	UNIT	DESCRIPTION	DOLLAR	CENT	DOLLAR	CENT
					DIRECT PAY ITEMS				
(10)	907-410-C	(GY)	15,000	cubic yard	Seal Aggregate Cover Material, State Furnished				
(20)	410-A	(A2)	625,000	gallon	Asphalt for Surface Treatment, Grade CRS-2P				
(30)	627-н		15,210	each	Chip Seal Reflective Raised Markers. Two-Way Yellow				

SUBTOTAL -	DIRECT	PAY	ITEMS\$	
------------	--------	-----	---------	--

SECTION 905

REF. PAY

PROPOSAL (Sheet No. 2- 2)

ADJ.

APPROX.

MP-6000-00(015) / 302503

	District	wide	(0)	County	
UNIT	PRICE		ITEM	TOTAL	

NO.	ITEM NO.	CODE	QUANTITY	UNIT	DESCRIPTION	DOLLAR	CENT	DOLLAR	CENT
					DEPENDENT PAY ITEMS				
(40)	618-A			lump sum	Maintenance of Traffic	xxxxxxxxx	xxxx		
						xxxxxxxxxx	xxxx		
						xxxxxxxxx	xxxx		
						xxxxxxxxxx	xxxx		

SUBTOTAL - DEPENDENT ITEMS.....\$

PROPOSAL (Sheet No. 2- 3)	
	District Wide (6) County
	TOTAL BID - DIRECT AND DEPENDENT ITEMS\$
	*** SIGNATURE STATEMENT ***
RIDDER ACKNOWLEDGES THAT HE/SHE HAS (CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN
THEREIN CONSTITUTE THEIR OFFICIAL BII	
THEREIN CONSTITUTE THEIR OFFICIAL BIT	.
	DIDDEDIC CICNAMIDE
	BIDDER'S SIGNATURE

MP-6000-00(015) / 302503

SECTION 905

CONDITIONS FOR COMBINATION BID

If a bidder elects to submit a combined bid for two or more of the contracts listed for this month's letting, the bidder must complete and execute these sheets of the proposal in each of the individual proposals to constitute a combination bid. In addition to this requirement, each individual contract shall be completed, executed and submitted in the usual specified manner.

Failure to execute this Combination Bid Proposal in each of the contracts combined will be just cause for each proposal to be received and evaluated as a separate bid.

COMBINATION BID PROPOSAL

I.	This proposal is tendered as one	part of a Combination	n Bid Proposal u	tilizing option	* of Subsection	102.11 on the following
	contracts:					

^{*} Option to be shown as either (a), (b), or (c).

	Project No.	<u>County</u>	Project No.	County
1			6	
2			7	
3			8	
4		. <u></u>	9	
5			10	

- A. If option (a) has been selected, then go to II, and sign Combination Bid Proposal.
- B. If option (b) has been selected, then complete the following, go to II, and sign Combination Bid Proposal.

Project Number	Pay Item Number	Unit	Unit Price Reduction	Total Item Reduction	Total Contract Reduction
1.					
2.					
3.					
4.					
5.					
6.					
7.					
8.					

II.

Project Number	Pay Item Number	Unit	Unit Price Reduction	Total Item Reduction	Total Contract Reduction
9.					
10.					
				1	
If option (c) has been selected, t	hen initial and c	omplete o	ne of the following,	go to II. and sign Comb	ination Bid Proposal.
I (We) desire to be awar	ded work not to	exceed a t	otal monetary value	of \$	
I (We) desire to be awar	ded work not to	exceed _	number of co	ontracts.	
is understood that the Mississipp ght to award contracts upon the ba					
is further understood and agreed every respect as a separate contra					I that each contract shall operate
We), the undersigned, agree to co	mplete each cor	ntract on o	r before its specified	completion date.	
			SIGNED		

TO: EXECUTIVE DIRECTOR, MISSISSIPPI DEPARTMENT OF TRANSPORTATION JACKSON, MISSISSIPPI

CERTIFICATE

If awarded this contract, I (we) contemplate that portions of the contract will be sublet. I (we) certify that those subcontracts which are equal to or in excess of fifty thousand dollars (\$50,000.00) will be in accordance with regulations promulgated and adopted by the Mississippi State Board of Contractors on January 13, 1999.

I (we) agree that this notification of intent <u>DOES NOT</u> constitute <u>APPROVAL</u> of the subcontracts.

NOTE:Insert name and address of subcontractors. (Subcontracts equal to or in excess of fifty thousand dollars (\$50,000.00) ONLY.)

	(Individual or Firm)	(Address)
	(Individual or Firm)	(Address)
	(Individual or Firm)	(Address)
	(Individual or Firm)	(Address)
NOTE:	subcontracts, if any, equal to or in excess	<u>OT</u> preclude subsequent subcontracts. Subsequent of fifty thousand dollars (\$50,000.00) will be in and adopted by the Mississippi State Board of
		Contractor
		Ву
		Title

CERTIFICATE MUST BE EXECUTED

<u>CERTIFICATION</u> (Execute in duplicate)

State of Mississippi	
County of	
I,	
(Name of person s	igning certification)
individually, and in my capacity as	
	(Title)
	do hereby certify under
(Name of Firm, Partnership, or	Corporation)
penalty of perjury under the laws of the	United States and the State of Mississippi that
	, Bidder
(Name of Firm, Partnership	, or Corporation)
on Project No.	
indirectly entered into any agreement, participated	ant, Mississippi, has not either directly of in any collusion; or otherwise taken any action in with this contract; nor have any of its corporate
owners, managers, auditors and others in a position suspension, debarment, voluntary exclusion or de- pending; nor been suspended, debarred, voluntaril three years by the Mississippi Transportation Comm	e said legal entity and its corporate officers, principal of administering federal funds are not currently under termination of ineligibility; nor have a debarment y excluded or determined ineligible within the passes mission, the State of Mississippi, any other State or a disciplify a court of competent misconduct within the past three years.
Initial here "" if exceptions are attached an to whom it applies, initiating agency and dates of su	d made a part thereof. Any exceptions shall address ch action.
	nial of award but will be considered in determining may result in criminal prosecution or administrative
All of the foregoing and attachments (when indicate	d) is true and correct.
Executed on	Signature

(11/23/92S)

<u>CERTIFICATION</u> (Execute in duplicate)

State of Mississippi
County of
I,
(Name of person signing certification)
individually, and in my capacity asof
(Title)
do hereby certify under
(Name of Firm, Partnership, or Corporation)
penalty of perjury under the laws of the United States and the State of Mississippi tha
, Bidder
(Name of Firm, Partnership, or Corporation)
on Project No
in Count, Mississippi, has not either directly or indirectly entered into any agreement, participated in any collusion; or otherwise taken any action in restraint of free competitive bidding in connection with this contract; nor have any of its corporate officers or principal owners.
Except as noted hereafter, it is further certified that said legal entity and its corporate officers, principal owners, managers, auditors and others in a position of administering federal funds are not currently under suspension, debarment, voluntary exclusion or determination of ineligibility; nor have a debarment pending; nor been suspended, debarred, voluntarily excluded or determined ineligible within the past three years by the Mississippi Transportation Commission, the State of Mississippi, any other State or a federal agency; nor been indicted, convicted or had a civil judgment rendered by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past three years.
Initial here "" if exceptions are attached and made a part thereof. Any exceptions shall address to whom it applies, initiating agency and dates of such action.
Note: Exceptions will not necessarily result in denial of award but will be considered in determining bidder responsibility. Providing false information may result in criminal prosecution or administrative sanctions.
All of the foregoing and attachments (when indicated) is true and correct.
Executed on Signature

(11/23/92S)

SECTION 902

CONTRACT FOR		
LOCATED IN THE COUNTY OF		
STATE OF MISSISSIPPI,		
COUNTY OF HINDS		

This contract entered into by and between the Mississippi Transportation Commission on one hand, and the undersigned contractor, on the other witnesseth;

That, in consideration of the payment by the Mississippi Transportation Commission of the prices set out in the proposal hereto attached, to the undersigned contractor, such payment to be made in the manner and at the time of times specified in the specifications and the special provisions, if any, the undersigned contractor hereby agrees to accept the prices stated in the proposal in full compensation for the furnishing of all materials and equipment and the executing of all the work contemplated in this contract.

It is understood and agreed that the advertising according to law, the Advertisement, the instructions to bidders, the proposal for the contract, the specifications, the revisions of the specifications, the special provisions, and also the plans for the work herein contemplated, said plans showing more particularly the details of the work to be done, shall be held to be, and are hereby made a part of this contract by specific reference thereto and with like effect as if each and all of said instruments had been set out fully herein in words and figures.

It is further agreed that for the same consideration the undersigned contractor shall be responsible for all loss or damage arising out of the nature of the work aforesaid; or from the action of the elements and unforeseen obstructions or difficulties which may be encountered in the prosecution of the same and for all risks of every description connected with the work, exceptions being those specifically set out in the contract; and for faithfully completing the whole work in good and workmanlike manner according to the approved Plans, Specifications, Special Provisions, Notice(s) to Bidders and requirements of the Mississippi Department of Transportation.

It is further agreed that the work shall be done under the direct supervision and to the complete satisfaction of the Executive Director of the Mississippi Department of Transportation, or his authorized representatives, and when Federal Funds are involved subject to inspection at all times and approval by the Federal Highway Administration, or its agents as the case may be, or the agents of any other Agency whose funds are involved in accordance with those Acts of the Legislature of the State of Mississippi approved by the Governor and such rules and regulations issued pursuant thereto by the Mississippi Transportation Commission and the authorized Federal Agencies.

The Contractor agrees that all labor as outlined in the Special Provisions may be secured from list furnished by

It is agreed and understood that each and every provision of law and clause required by law to be inserted in this contract shall be deemed to be inserted herein and this contract shall be read and enforced as though it were included herein, and, if through mere mistake or otherwise any such provision is not inserted, then upon the application of either party hereto, the contract shall forthwith be physically amended to make such insertion.

The Contractor agrees that he has read each and every clause of this Contract, and fully understands the meaning of same and that he will comply with all the terms, covenants and agreements therein set forth.

Witness our signatures this the			our signatures	this the	_ day of		
	Cont	tracto	r (s)				
Ву					MISSISSIPPI TRANSPORTATION COMMISSION		
Title					By		
Signed a	and sealed in and addresses	the pi	resenc	e of:		Executive Director	
						Secretary to the Commission	
Award	authorized	by	the	Mississippi	Transportation	n Commission in session on the day	of
			, _	, Minu	te Book No	, Page No	

SECTION 903

CONTRACT BO	OND FOR:
	THE COUNTY OF:
STATE OF MIS	SISSIPPI,
COUNTY OF H	INDS
Know all men by	these presents: that we,
	Principal, a
residing at	in the State of
and	
	in the State of,
	business in the State of Mississippi, under the laws thereof, as surety, are held and firmly bound Mississippi in the sum of
) Dollars, lawful money of the United States of America, to
be paid to it for v	which payment well and truly to be made, we bind ourselves, our heirs, administrators, successors, or
assigns jointly an	d severally by these presents.
	Signed and sealed this the day of A.D
The conditions o	f this bond are such, that whereas the said
	ave) entered into a contract with the Mississippi Transportation Commission, bearing the date of
	A.D. hereto annexed, for the construction of certain projects(s)
	Ississippi as mentioned in said contract in accordance with the Constract Documents therefor, on of the Mississippi Department of Transportation, Jackson, Mississippi.
Now therefore, is	f the above bounden in all things shall stand to and abide by and well and truly observe,
contained on his manner and form terms of said cor contract and sha Subsection 109.1 from any loss or or any other loss the performance action instituted authorized in suc	form all and singular the terms, covenants, conditions, guarantees and agreements in said contract, (their) part to be observed, done, kept and performed and each of them, at the time and in the and furnish all of the material and equipment specified in said contract in strict accordance with the stract which said plans, specifications and special provisions are included in and form a part of said ll maintain the said work contemplated until its final completion and acceptance as specified in 1 of the approved specifications, and save harmless said Mississippi Transportation Commission damage arising out of or occasioned by the negligence, wrongful or criminal act, overcharge, fraud, or damage whatsoever, on the part of said principal (s), his (their) agents, servants, or employees in of said work or in any manner connected therewith, and shall be liable and responsible in a civil by the State at the instance of the Mississippi Transportation Commission or any officer of the State ch cases, for double any amount in money or property, the State may lose or be overcharged or ded of, by reason of wrongful or criminal act, if any, of the Contractor(s), his (their) agents or

SECTION 903 - CONTINUED

employees, and shall promptly pay the said agents, servants and employees and all persons furnishing labor, material, equipment or supplies therefor, including premiums incurred, for Surety Bonds, Liability Insurance, and Workmen's Compensation Insurance; with the additional obligation that such Contractor shall promptly make payment of all taxes, licenses, assessments, contributions, damages, any liquidated damages which may arise prior to any termination of said principal's contract, any liquidated damages which may arise after termination of the said principal's contract due to default on the part of said principal, penalties and interest thereon, when and as the same may be due this state, or any county, municipality, board, department, commission or political subdivision: in the course of the performance of said work and in accordance with Sections 31-5-51 et seq. Mississippi Code of 1972, and other State statutes applicable thereto, and shall carry out to the letter and to the satisfaction of the Executive Director of the Mississippi Department of Transportation, all, each and every one of the stipulations, obligations, conditions, covenants and agreements and terms of said contract in accordance with the terms thereof and all of the expense and cost and attorney's fee that may be incurred in the enforcement of the performance of said contract, or in the enforcement of the conditions and obligations of this bond, then this obligation shall be null and void, otherwise to be and remain in full force and virtue.

Witness our signatures and seals this the	day of	A.D
(Contractors) Principal		Surety
Ву		e) Attorney in Fact
Title(Contractor's Seal)		al (Mississippi) representative.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION HAUL PERMIT FOR BRIDGES

WITH

POSTED LOAD LIMITS

	DATE:
PROJECT:	MP-6000-00(015) / 302503
COUNTY:	District Wide (6)
LOCATION	: VARIOUS SECTIONS OF HIGHWAY THROUGHOUT DISTRICT 6.
transporting l routes within	ssued to
for materials contractors a transferable a	s valid on all State designated routes from the point of origin to the point of delivery and equipment utilized in construction of said project and also valid for subund vendors upon written permission of the Contractor. The permit is non and no other haul permit for posted bridges will be issued to other individuals companies for construction of this project.
	is signed permit shall be carried in all vehicles operating under the authority of this lso a copy of the Contractor's written permission when the vehicle is other that when the vehicle is other than
	e with State law, the above named Contractor will be liable for damages directly vehicles operating under this permit.
	EXECUTIVE DIRECTOR